UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT

6330755

December 18, 2001

Vacuum processing and operating method

REISSUE: February 6, 2002 - Reissue Application filed Ex. Gp.: 2162; Re. S.N. 10/066,747 (O.G. June 4, 2002)

APPL-NO: 461432 (09)

FILED-DATE: December 16, 1999

GRANTED-DATE: December 18, 2001

PRIORITY: August 29, 1990 - 2-225321, Japan (JP)

ENGLISH-ABST:

This invention relates to a vacuum processing apparatus having vacuum processing chambers the insides of which must be dry cleaned, and to a method of operating such an apparatus. When the vacuum processing chambers are dry-cleaned, dummy substrates are transferred into the vacuum processing chamber by substrates conveyor means from dummy substrate storage means which is disposed in the air atmosphere together with storage means for storing substrates to be processed, and the inside of the vacuum processing chamber is dry-cleaned by generating a plasma. The dummy substrate is returned to the dummy substrate storage means after dry cleaning is completed. Accordingly, any specific mechanism for only the cleaning purpose is not necessary and the construction of the apparatus can be made simple. Furthermore, the dummy substrates used for dry cleaning and the substrates to be processed do not coexist, contamination of the substrates to be processed due to dust and remaining gas can be prevented and the production yield can be high.

Selected file: PLUSPAT

** SS 1: Results 1

```
1 / 1
        PLUSPAT - @QUESTEL-ORBIT
        us6330755 B1 20011218 [us6330755]
PN
        (B1) Vacuum processing and operating method
TI
PA
        (B1) HITACHI LTD (US)
PA0 -
        Hitachi, Ltd., Tokyo [JP]
        (B1) TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP); KATO SHIGEKAZU
IN
        (JP); NISHIHATA KOUJI (JP)
AP
        US46143299 19991216 [1999US-0461432]
                  US177495 19981023 [1998US-0177495]
FD
        Cont. of
        Cont. of
                   US061062 19980416 [1998US-0061062]
        Cont. of
                   US882731 19970626 [1997US-0882731]
        Divsn of
                   US593870 19960130 [1996US-0593870]
                   US443039 19950517 [1995US-0443039]
        Cont. of
                   US302443 19940909 [1994US-0302443]
        Divsn of
        Cont. of
                   US096256 19930726 [1993US-0096256]
        Cont. of
                  US751951 19910829 [1991US-0751951]
        Continuation of: US6012235
        Continuation of:
                         US5950330
        Continuation of: US5784799
        Division of: US5661913
        Continuation of: US5553396
        Division of: US5457896
        Continuation of: US5349762
        Continuation of: US5314509
PR
        US46143299 19991216 [1999US-0461432]
        JP22532190 19900829
                             [1990JP-0225321]
        US17749598 19981023
                             [1998US-0177495]
        US6106298 19980416 [1998US-0061062]
        US88273197
                    19970626 [1997US-0882731]
        US59387096
                    19960130
                              [1996US-0593870]
        US44303995
                    19950517
                              [1995US-0443039]
        US30244394 19940909 [1994US-0302443]
        US9625693 19930726 [1993US-0096256]
        US75195191 19910829 [1991US-0751951]
IC
        (B1) F26B-005/04
EC
        C23C-014/56D
        H01L-021/00S2D4
        H01L-021/00S2Z
        H01L-021/00s6
        H01L-021/00S6B
        H01L-021/00S8B
PCL -
        ORIGINAL (O): 034406000
DT -
        Corresponding document
CT
        US3652444; US3981791; US4138306; US4226897; US4311427; US4313783;
        US4313815; US4318767; US4449885; US4457661; US4534314; US4563240;
        US4576698; US4634331; US4643629; US4705951; US4715764; US4824309;
        US4836733; US4836905; US4851101; US4895107; US4902934; US4903937;
        US4909695; US4911597; US4915564; US4917556; US4923584; US4924890;
        US4936329; US4951601; US4969790; US5007981; US5014217; US5225036;
        US5292393; US5351415; US5436848; US5452166; US5462397; US5504033;
        US5504347; US5509771; US5556714; US5651858; US5675461; US5685684;
        US5829939; US5934856; EP20246453; EP20381338; JP57-29577;
        JP60-246635; JP62-44571; JP62-50463; JP62-89881; JP62-207866;
        JP63-153270; JP6412037; JP636582; JP131971; JP131970; JP1135015;
        JP1-251734; JP1-310553; JP1298180; JP2-61064; JP265252; JP294647;
        JP2-106037; JP430549; W08707309
        R.P.H. Chang, "Multipurpose plasma reactor for materials research
        and processing", J. Vac. Sci. Technol., vol. 14, No. 1, Jan./Feb.
        1977, pp. 278-280.
```

Semiconductor Equipment Association of Japan, Terminological Dictionary of Semiconductor Equipment), front, table, p. 183, back, Nov. 20, 1987.

Semiconductor Equipment Association of Japan, "Semiconductor News", vol. 4, pp. 38-43, Apr. 10, 1987 (w/translation).

STG - (B1) U.S. Patent (no pre-grant pub.) after Jan. 2, 2001

This invention relates to a vacuum processing apparatus having AB vacuum processing chambers the insides of which must be dry cleaned, and to a method of operating such an apparatus. When the vacuum processing chambers are dry-cleaned, dummy substrates are transferred into the vacuum processing chamber by substrates conveyor means from dummy substrate storage means which is disposed in the air atmosphere together with storage means for storing substrates to be processed, and the inside of the vacuum processing chamber is dry-cleaned by generating a plasma. The dummy substrate is returned to the dummy substrate storage means after dry cleaning is completed. Accordingly, any specific mechanism for only the cleaning purpose is not necessary and the construction of the apparatus can be made simple. Furthermore, the dummy substrates used for dry cleaning and the substrates to be processed do not coexist, contamination of the substrates to be processed due to dust and remaining gas can be prevented and the production yield can be high.

UP - 2002-01

1 / 1 LGST - @LEGSTAT

PN - US 6330755 [US6330755]

AP - US 461432/99 19991216 [1999US-0461432]

DT - US-P

ACT - 19991216 US/AE-A

APPLICATION DATA (PATENT)

US 461432/99 19991216 [1999US-0461432]

20011218 US/BA

PATENT (NO PREVIOUS PRE-GRANT PUBLICATION)

20020604 US/RF

REISSUE APPLICATION FILED

20020206

UP - 2002-24

1 / 1 CRXX - @CLAIMS/RRX

PN - 6,330,755 A 20011218 [US6330755]

PA - Hitachi Ltd JP

ACT - 20020206 REISSUE REQUESTED ISSUE DATE OF O.G.: 20020604

REISSUE REQUEST NUMBER: 10/066747

EXAMINATION GROUP RESPONSIBLE FOR REISSUEPROCESS: 2162

Reissue Patent Number:

1 / 1 PAST - @Thomson Derwent

200223-001864 an -

6330755 A [US6330755] 2002-06-04 PN -

OG -

REISSUE APPLICATION FILED

Session finished: 25 FEB 2003 Time 14:56:15

```
File 345:Inpadoc/Fam. & Legal Stat 1968-2003/UD=200307
      (c) 2003 EPO
     Set Items Description
? s pn=us 6330755
           1 PN=US 6330755
     S1
? t/5/1
1/5/1
DIALOG(R) File 345: Inpadoc/Fam. & Legal Stat
(c) 2003 EPO. All rts. reserv.
10473594
Basic Patent (No, Kind, Date): EP 475604 A1 19920318 < No. of Patents: 080>
PATENT FAMILY:
GERMANY (DE)
 Patent (No, Kind, Date): DE 69128861 CO 19980312
   VAKUUMSBEHANDLUNGSVORRICHTUNG UND REINIGUNGSVERFAHREN DAFUER (German)
   Patent Assignee: HITACHI LTD
                                 (JP)
   Author (Inventor): KATO SHIGEKAZU
                                      (JP); TSUBONE TSUNEHIKO (JP);
     NISHIHATA KOUJI (JP); ITOU ATSUSHI (JP)
   Priority (No, Kind, Date): JP 90225321 A
   Applic (No, Kind, Date): DE 69128861 A 19910819
   IPC: * H01L-021/00
   Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
     02-107535; G 02-123844
   JAPIO Reference No: * 160351C000155
   Language of Document: German
 Patent (No, Kind, Date): DE 69128861 T2 19981008
   VAKUUMSBEHANDLUNGSVORRICHTUNG UND REINIGUNGSVERFAHREN DAFUER (German)
   Patent Assignee: HITACHI LTD (JP)
   Author (Inventor): KATO SHIGEKAZU (JP); TSUBONE TSUNEHIKO (JP);
     NISHIHATA KOUJI (JP); ITOU ATSUSHI (JP)
   Priority (No, Kind, Date): JP 90225321 A 19900829
   Applic (No, Kind, Date): DE 69128861 A 19910819
   IPC: * H01L-021/00
   Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
     02-107535; G 02-123844
   JAPIO Reference No: * 160351C000155
   Language of Document: German
EUROPEAN PATENT OFFICE (EP)
 Patent (No, Kind, Date): EP 475604 Al 19920318
   VACUUM PROCESSING APPARATUS AND CLEANING METHOD THEREFOR (English;
     French; German)
   Patent Assignee: HITACHI LTD (JP)
   Author (Inventor): KATO SHIGEKAZU
                                           (JP); TSUBONE TSUNEHIKO (JP);
     NISHIHATA KOUJI (JP); ITOU ATSUSHI
                                         (JP)
   Priority (No, Kind, Date): JP 90225321 A
                                             19900829
   Applic (No, Kind, Date): EP 91307625 A
                                           19910819
   Designated States: (National) DE; FR; GB
   IPC: * H01L-021/00
   Derwent WPI Acc No: ; G 92-090205
   Language of Document: English
 Patent (No, Kind, Date): EP 805481 A2 19971105
   VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English;
     French; German)
   Patent Assignee: HITACHI LTD (JP)
   Author (Inventor):
                       KATO SHIGEKAZU
                                           (JP);
                                                 NISHIHATA KOUJI
                                                                     (JP);
     TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
```

```
Priority (No, Kind, Date):
                             EP 91307625 A3 19910819; JP 90225321 A
   19900829
 Applic (No, Kind, Date): EP 97111628 A
                                         19910819
 Designated States: (National) DE; FR; GB
 IPC: * H01L-021/00; C23C-014/56
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
    02-107535; G 02-123844; C 97-529274
  JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): EP 856875 A2 19980805
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English;
    French; German)
  Patent Assignee: HITACHI LTD (JP)
 Author (Inventor):
                     KATO SHIGEKAZU
                                        (JP); NISHIHATA KOUJI
                                                                  (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                         (JP)
  Priority (No, Kind, Date):
                           EP 97111628 A3 19910819; JP 90225321 A
   19900829
 Applic (No, Kind, Date): EP 98106162 A
                                         19910819
  Designated States: (National) DE; FR; GB
  IPC: * H01L-021/00
  Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
    02-107535; G 02-123844; G 98-401136
  JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): EP 1076354 A2 20010214
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English;
   French; German)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU
                                        (JP); TSUBONE TSUNEHIKO
   NISHIHATA KOUJI (JP); ITOU ATSUSHI
                                       (JP)
  Priority (No, Kind, Date):
                           EP 97111628 A3 19910819; EP 91307625 A3
   19910819; JP 90225321 A
                             19900829
 Applic (No, Kind, Date): EP 2000121402 A
                                           19910819
 Designated States: (National) DE; FR; GB
  IPC: * H01L-021/00
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
    02-107535; G 02-123844; G 02-123844
  JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): EP 1079418 A2 20010228
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English;
   French; German)
 Patent Assignee: HITACHI LTD
                               (JP)
 Author (Inventor):
                      KATO SHIGEKAZU
                                        (JP); TSUBONE TSUNEHIKO (JP);
   NISHIHATA KOUJI (JP); ITOU ATSUSHI (JP)
  Priority (No, Kind, Date):
                            EP 97111628 A3 19910819; EP 91307625 A3
    19910819; JP 90225321 A
                             19900829
 Applic (No, Kind, Date): EP 2000121401 A
                                           19910819
 Designated States: (National) DE; FR; GB
  IPC: * H01L-021/00
  Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
    02-107535; G 02-123844; G 02-107535
  JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): EP 805481 A3 19980520
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English;
   French; German)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor):
                      KATO SHIGEKAZU
                                        (JP); NISHIHATA KOUJI
                                                                  (JP):
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                        (JP)
 Priority (No, Kind, Date): EP 91307625 A3 19910819; JP 90225321 A
   19900829
```

```
Applic (No, Kind, Date): EP 97111628 A 19910819
 Designated States: (National) DE; FR; GB
 IPC: * H01L-021/00; C23C-014/56
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): EP 856875 A3 19990428
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English;
   French; German)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor):
                     KATO SHIGEKAZU
                                        (JP); NISHIHATA KOUJI
                                                                  (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                         (JP)
 Priority (No, Kind, Date):
                            EP 97111628 A3 19910819; JP 90225321 A
   19900829
 Applic (No, Kind, Date): EP 98106162 A
                                         19910819
 Designated States: (National) DE; FR; GB
 IPC: * H01L-021/00
 Derwent WPI Acc No:
                        * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): EP 1076354 A3 20020807
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English;
   French; German)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor):
                       KATO SHIGEKAZU
                                        (JP); TSUBONE TSUNEHIKO
   NISHIHATA KOUJI (JP); ITOU ATSUSHI
                                        (JP)
 Priority (No, Kind, Date):
                            EP 97111628 A3 19910819; EP 91307625 A3
   19910819; JP 90225321 A
                              19900829
 Applic (No, Kind, Date): EP 2000121402 A
                                           19910819
 Designated States: (National) DE; FR; GB
 IPC: * H01L-021/00
 Derwent WPI Acc No: *
                           C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): EP 1079418 A3 20020807
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English;
   French; German)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor):
                       KATO SHIGEKAZU
                                        (JP); TSUBONE TSUNEHIKO (JP);
   NISHIHATA KOUJI (JP); ITOU ATSUSHI
                                       (JP)
 Priority (No, Kind, Date):
                            EP 97111628 A3 19910819; EP 91307625 A3
   19910819; JP 90225321 A
                              19900829
 Applic (No, Kind, Date): EP 2000121401 A
                                           19910819
 Designated States: (National) DE; FR; GB
 IPC: * H01L-021/00
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): EP 475604 B1 19980204
 VACUUM PROCESSING APPARATUS AND CLEANING METHOD THEREFOR (English;
   French; German)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor):
                      KATO SHIGEKAZU
                                        (JP); TSUBONE TSUNEHIKO
                                                                 (JP);
   NISHIHATA KOUJI (JP); ITOU ATSUSHI
                                       (JP)
 Priority (No, Kind, Date): JP 90225321 A
                                           19900829
 Applic (No, Kind, Date): EP 91307625 A 19910819
 Designated States: (National) DE; FR; GB
 IPC: * H01L-021/00
```

Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English JAPAN (JP) Patent (No, Kind, Date): JP 4108531 A2 19920409 VACUUM TREATMENT APPARATUS (English) Patent Assignee: HITACHI LTD Author (Inventor): KATO SHIGEKAZU; NISHIHATA KOJI; TSUBONE TSUNEHIKO; ITO ATSUSHI Priority (No, Kind, Date): JP 90225321 A 19900829 Applic (No, Kind, Date): JP 90225321 A IPC: * B01J-003/00 JAPIO Reference No: ; 160351C000155 Language of Document: Japanese Patent (No, Kind, Date): JP 4110169 A2 19920410 IMAGE RECORDER (English) Patent Assignee: CANON KK Author (Inventor): SUZUKI AKIO Priority (No, Kind, Date): JP 90228396 A 19900831 Applic (No, Kind, Date): JP 90228396 A 19900831 IPC: * B41J-002/365; B41J-002/36 JAPIO Reference No: ; 160353M000093 Language of Document: Japanese Patent (No, Kind, Date): JP 2644912 B2 19970825 SHINKUSHORISOCHIOYOBISONONTENHOHO (English) Priority (No, Kind, Date): JP 90225321 A Applic (No, Kind, Date): JP 90225321 A 19900829 IPC: * B01J-003/00 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: Japanese Patent (No, Kind, Date): JP 2950950 B2 19990920 Priority (No, Kind, Date): JP 90228396 A Applic (No, Kind, Date): JP 90228396 A 19900831 IPC: * B41J-002/01; B41J-002/36 Derwent WPI Acc No: * G 94-279094 JAPIO Reference No: * 160353M000093 Language of Document: Japanese KOREA, REPUBLIC (KR) Patent (No, Kind, Date): KR 184682 B1 19990415 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: HITACHI LTD (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP): TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): JP 90225321 A 19900829 Applic (No, Kind, Date): KR 9114984 A 19910829 IPC: * H01L-021/304 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: Korean Patent (No, Kind, Date): KR 212819 B1 19990901 TRANSFERRING SYSTEM AND VACUUM TREATING APPARATUS AND METHOD THEREBY (English) Patent Assignee: HITACHI LTD (JP) (JP); TSUBONE TSUNEHIKO (JP); ITO Author (Inventor): NISIHATA GOJI ATSUSHI (JP) Priority (No, Kind, Date): JP 90225321 A 19900829; KR 9114984 A3

19910829 Applic (No, Kind, Date): KR 9846757 A 19981102 IPC: * H01L-021/304 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: Korean Patent (No, Kind, Date): KR 212874 B1 19990901 TRANSFERRING SYSTEM AND VACUUM TREATING APPARATUS THEREBY (English) Patent Assignee: HITACHI LTD (JP) (JP); NISIHATA GOJI (JP); TSUBONE Author (Inventor): GATO SIGEGATSU TSUNEHIKO (JP); ITO ATSUSI (JP) Priority (No, Kind, Date): JP 90225321 A 19900829; KR 9114984 A3 19910829 Applic (No, Kind, Date): KR 9846756 A 19981102 IPC: * H01L-021/304 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: Korean UNITED STATES OF AMERICA (US) Patent (No, Kind, Date): US 5314509 A 19940524 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: HITACHI LTD (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): JP 90225321 A Applic (No, Kind, Date): US 751951 A 19910829 National Class: * 034406000; 034092000; 134902000; 414225000 IPC: * B08B-003/00; C23C-016/00 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 5343231 A 19940830 IMAGE RECORDING APPARATUS CAPABLE OF CORRECTING DENSITY UNEVENNESS (English) Patent Assignee: CANON KK (JP) Author (Inventor): SUZUKI AKIO (JP) Priority (No, Kind, Date): US 3992 A 19930115; JP 90228396 A 19900831; US 751952 B1 19910829 Applic (No, Kind, Date): US 3992 A National Class: * 347014000; 347015000 IPC: * B41J-002/05 Derwent WPI Acc No: * G 94-279094; G 94-279094 JAPIO Reference No: * 160353M000093 Language of Document: English Patent (No, Kind, Date): US 5349762 A 19940927 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: HITACHI LTD (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 96256 A 19930726; JP 90225321 A 19900829; US 751951 A1 19910829 Applic (No, Kind, Date): US 96256 A 19930726 National Class: * 034406000; 034092000 IPC: * F26B-005/04 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English

```
Patent (No, Kind, Date): US 5457896 A
                                      19951017
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU
                                    (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 302443 A 19940909; JP 90225321 A
   19900829; US 96256 A1 19930726; US 751951 A1 19910829
 Applic (No, Kind, Date): US 302443 A 19940909
 Addnl Info: 5349762 Patented; 5314509 Patented
 National Class: * 034406000; 034092000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 5553396 A
                                      19960910
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 443039 A 19950517; JP 90225321 A
   19900829; US 302443 A3 19940909; US 96256 A1 19930726; US 751951
   A1 19910829
 Applic (No, Kind, Date): US 443039 A
                                      19950517
 Addnl Info: 5457896 Patented; 5349762 Patented; 5314509 Patented
 National Class: * 034406000; 034092000; 414225000; 134902000
 IPC: * B08B-003/00; C23C-016/00
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 5661913 A
                                      19970902
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                          (JP)
 Priority (No, Kind, Date): US 593870 A
                                         19960130; JP 90225321 A
   19900829; US 443039 Al 19950517; US 302443 A3 19940909; US 96256
   Al 19930726; US 751951 Al 19910829
 Applic (No, Kind, Date): US 593870 A 19960130
 Addnl Info: 5553396 Patented; 5457896 Patented; 5349762 Patented;
   5314509 Patented
 National Class: * 034406000; 134902000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
  JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 5784799 A
                                     19980728
 VACUUM PROCESSING APPARATUS FOR SUBSTATE WAFERS (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU
                                    (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 882731 A
                                         19970626; JP 90225321 A
   19900829; US 593870 A3 19960130; US 443039 A1 19950517; US 302443
       19940909; US 96256 Al 19930726; US 751951 Al 19910829
 Applic (No, Kind, Date): US 882731 A 19970626
 Addnl Info: 5661913 Patented; 5553396 Patented; 5457896 Patented;
   5349762 Patented; 5314509 Patented
 National Class: * 034092000; 414217000
 .IPC: * F26B-013/30
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
```

02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 5950330 A 19990914 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: HITACHI LTD (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 61062 A 19980416; JP 90225321 A 19900829; US 882731 A1 19970626; US 593870 A3 19960130; US 443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726; US 751951 A1 19910829 Applic (No, Kind, Date): US 61062 A 19980416 Addnl Info: 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented; 5314509 Patented National Class: * 034406000 IPC: * F26B-005/04 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 6012235 A 20000111 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: HITACHI LTD (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 177495 A 19981023; JP 90225321 A 19900829; US 61062 A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US 443039 A1 19950517; US 302443 A3 19940909; US 96256 Al 19930726; US 751951 Al 19910829 Applic (No, Kind, Date): US 177495 A 19981023 Addnl Info: 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented; 5314509 Patented National Class: * 034406000 IPC: * F26B-013/30 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 6044576 A 20000404 VACUUM PROCESSING AND OPERATING METHOD USING A VACUUM CHAMBER (English) Patent Assignee: HITACHI LTD (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) 19990907; JP 90225321 A Priority (No, Kind, Date): US 390684 A 19900829; US 177495 A3 19981023; US 61062 A1 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US 443039 Al 19950517; US 302443 A3 19940909; US 96256 A1 19930726; US 751951 A1 19910829 Applic (No, Kind, Date): US 390684 A 19990907 Addnl Info: 5950330 Patented; 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented; 5314509 Patented National Class: * 034406000 IPC: * F26B-005/04 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 6055740 A 20000502 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: HITACHI LTD (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);

TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 231451 A 19990115; JP 90225321 A 19900829; US 61062 A1 19980416; US 882731 A1 19970626; US 593870 19960130; US 443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726; US 751951 A1 19910829 Applic (No, Kind, Date): US 231451 A 19990115 Addnl Info: 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented; 5314509 Patented National Class: * 034092000; 034228000 IPC: * F26B-013/30 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 6070341 A 20000606 VACUUM PROCESSING AND OPERATING METHOD WITH WAFERS, SUBSTRATES AND/OR SEMICONDUCTORS (English) Patent Assignee: HITACHI LTD (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 390681 A 19990907; JP 90225321 A 19900829; US 177495 A3 19981023; US 61062 A1 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US 443039 Al 19950517; US 302443 A3 19940909; US 96256 A1 19930726; US 751951 A1 19910829 Applic (No, Kind, Date): US 390681 A 19990907 Addnl Info: 5950330 Patented; 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented; 5314509 Patented National Class: * 034406000 IPC: * F26B-005/04 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 6108929 A 20000829 VACUUM PROCESSING APPARATUS (English) Patent Assignee: HITACHI LTD (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 461433 A 19991216; JP 90225321 A 19900829; US 231451 A1 19990115; US 61062 A1 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US 443039 Al 19950517; US 302443 A3 19940909; US 96256 A1 19930726; US 751951 A1 19910829 Applic (No, Kind, Date): US 461433 A 19991216 Addnl Info: 5950330 Patented; 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented; 5314509 Patented National Class: * 034092000 IPC: * F26B-013/30 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 6112431 A 20000905 VACUUM PROCESSING AND OPERATING METHOD (English) Patent Assignee: HITACHI LTD (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 389461 A 19990903; JP 90225321 A 19900829; US 177495 A3 19981023; US 61062 A1 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US 443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726; US 751951 A1 19910829

Applic (No, Kind, Date): US 389461 A 19990903 Addnl Info: 5950330 Patented; 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented; 5314509 Patented National Class: * 034406000 IPC: * F26B-005/04 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 20010000048 AA 20010322 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 725257 A 20001129; JP 90225321 A 19900829; US 552572 Al 20000419; US 461432 B3 19991216; US 177495 A1 19981023; US 61062 A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US 443039 A1 19950517; US 302443 A3 19940909; US 96256 Al 19930726; US 751951 Al 19910829 Applic (No, Kind, Date): US 725257 A 20001129 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented; 5314509 Patented National Class: * 034092000 IPC: * F26B-013/30 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 20010001901 AA 20010531 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 766976 A 20010123; JP 90225321 A 19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062 A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US 443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726 ; US 751952 B1 19910829 Applic (No, Kind, Date): US 766976 A 20010123 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented National Class: * 034406000 IPC: * F26B-005/04 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 20010001902 AA 20010531 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 767837 A 20010124; JP 90225321 A 19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062 Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US 443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726

```
; US 751952 B1 19910829; US 766587 A3 20010123
 Applic (No, Kind, Date): US 767837 A 20010124
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
 National Class: * 034406000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010002517 AA 20010607
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITOU ATSUSHI (JP)
Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 766975 A
                                          20010123; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062 A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726; US 751952 Bl 19910829
 Applic (No, Kind, Date): US 766975 A
                                       20010123
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented
 National Class: * 034406000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010003873 AA 20010621
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 781296 A
                                          20010213; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
    ; US 751951 A1 19910829; US 766587 A
                                             20010123
 Applic (No, Kind, Date): US 781296 A 20010213
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented; 5314509 Patented
 National Class: * 034406000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010004554 AA 20010621
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 766587 A 20010123; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
```

```
443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726
    ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 766587 A
                                        20010123
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
    5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
    Patented
 National Class: * 438758000; 438907000
 IPC: * H01L-021/31
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
    98-401136; G 02-107535; G 02-123844
  JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010004807 AA 20010628
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
    TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
    TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 780444 A
                                          20010212; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062 A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
    443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
    ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 780444 A
                                        20010212
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
    5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
    Patented
 National Class: * 034406000; 034092000
 IPC: * F26B-013/30
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
    98-401136; G 02-107535; G 02-123844
  JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010007175 AA 20010712
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
    TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
    TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                         (JP)
 Priority (No, Kind, Date): US 781298 A
                                          20010213; JP 90225321 A
    19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
    443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
    ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 781298 A
                                        20010213
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
    5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
    Patented
 National Class: * 034417000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
    98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010008050 AA 20010719
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
    TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 781293 A
                                         20010213; JP 90225321 A
    19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
```

A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US 443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726 ; US 751952 B1 19910829 Applic (No, Kind, Date): US 781293 A 20010213 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented National Class: * 034406000 IPC: * F26B-013/30 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 20010008051 AA 20010719 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 781295 A 20010213; JP 90225321 A 19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062 A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US 443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726 ; US 751952 B1 19910829 Applic (No, Kind, Date): US 781295 A 20010213 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented National Class: * 034406000 IPC: * F26B-013/30 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 20010008052 AA 20010719 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 781297 A 20010213; JP 90225321 A 19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062 A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US 443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726 ; US 751951 A1 19910829; US 766587 A3 20010123 Applic (No, Kind, Date): US 781297 A 20010213 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented; 5314509 Patented National Class: * 034406000 IPC: * F26B-013/30 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 20010009073 AA 20010726 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THERFOR (English) Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 766597 A 20010123; JP 90225321 A

```
19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726
   ; US 751951 Al 19910829
 Applic (No, Kind, Date): US 766597 A
                                       20010123
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented; 5314509 Patented
 National Class: * 034406000
 IPC: * F26B-013/30; F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010009074 AA 20010726
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 781270 A
                                         20010213; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
   ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 781270 A
                                       20010213
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented
 National Class: * 034406000
 IPC: * F26B-013/30; F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010009075 AA 20010726
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 781452 A
                                         20010213; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
   ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 781452 A
                                       20010213
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented
 National Class: * 034406000
 IPC: * F26B-013/30; F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010009076 AA 20010726
 SUBSTRATE CHANGING-OVER MECHANISM IN A VACCUM TANK, COMPRISING
   (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
```

```
TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                        (JP)
 Priority (No, Kind, Date): US 782194 A 20010214; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
   ; US 751951 A1 19910829
 Applic (No, Kind, Date): US 782194 A
                                       20010214
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented; 5314509 Patented
 National Class: * 034406000
 IPC: * F26B-013/30; F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010010126 AA 20010802
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
  Priority (No, Kind, Date): US 782193 A
                                         20010214; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
   443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726
   ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 782193 A
                                       20010214
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented
 National Class: * 034406000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
  JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010011422 AA 20010809
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
  Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITOU ATSUSHI
                                (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
  Priority (No, Kind, Date): US 781317 A
                                         20010213; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
   ; US 751951 A1 19910829
 Applic (No, Kind, Date): US 781317 A
                                       20010213
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented; 5314509 Patented
 National Class: * 034092000
 IPC: * F26B-013/30
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010011423 AA 20010809
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITOU ATSUSHI (JP)
```

```
Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI
                                                         (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 782197 A
                                         20010214; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
   ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 782197 A
                                       20010214
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented
 National Class: * 034092000
 IPC: * F26B-013/30
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010016990 AA 20010830
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 782192 A
                                         20010214; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726
   ; US 751951 A1 19910829; US 766587 A3 20010123
 Applic (No, Kind, Date): US 782192 A 20010214
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented; 5314509 Patented
 National Class: * 034406000
 IPC: * F26B-013/30; F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010020339 AA 20010913
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 780394 A 20010212; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726.
   ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 780394 A
                                       20010212
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented
 National Class: * 034406000
 IPC: * F26B-013/30; F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010020340 AA 20010913
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
```

```
TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 782196 A
                                         20010214; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726
   ; US 751951 A1 19910829; US 766587 A3 20010123
 Applic (No, Kind, Date): US 782196 A 20010214
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented; 5314509 Patented
 National Class: * 034406000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20010037585 AA 20011108
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITOU ATSUSHI . (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 767834 A
                                         20010124; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726
   ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 767834 A
                                        20010124
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented
 National Class: * 034406000; 034092000
 IPC: * F26B-013/30
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 20020032972 AA 20020321
 SUBSTRATE CHANGING-OVER MECHANISM IN VACUUM TANK (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITO ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITO ATSUSHI (JP)
 Priority (No, Kind, Date): US 782195 A
                                          20010214; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062 A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
   ; US 751952 B1 19910829; US 766587 A3 20010123
 Applic (No, Kind, Date): US 782195 A 20010214
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented
 National Class: * 034406000
 IPC: * F26B-013/30
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6263588 BA 20010724
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
```

```
Patent Assignee: HITACHI LTD (US)
 Author (Inventor): KATO SHIGEKAZU
                                    (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                         (JP)
                                         20000712; JP 90225321 A
 Priority (No, Kind, Date): US 614770 A
   19900829; US 552572 A3 20000419; US 461432 B3 19991216; US 177495
   A1 19981023; US 61062 A1 19980416; US 882731 A1 19970626; US
   593870 A3 19960130; US 443039 A1 19950517; US 302443 A3
   19940909; US 96256 A1 19930726; US 751951 A1 19910829
 Applic (No, Kind, Date): US 614770 A
                                       20000712
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented; 5314509 Patented
 National Class: * 034417000; 034229000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
Language of Document: English
Patent (No, Kind, Date): US 6301801 BA 20011016
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE
   TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 552572 A
                                         20000419; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726
    ; US 751951 A1 19910829
 Applic (No, Kind, Date): US 552572 A
                                       20000419
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
    5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
    Patented; 5314509 Patented
 National Class: * 034406000; 034092000; 034228000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
    02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6301802 BA 20011016
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: HITACHI LTD (US)
 Author (Inventor): KATO SHIGEKAZU
                                    (JP); NISHIHATA KOUJI (JP);
    TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
  Priority (No, Kind, Date): US 765379 A
                                         20010122; JP 90225321 A
    19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
    443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
    ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 765379 A
                                        20010122
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
    5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
    Patented
 National Class: * 034406000; 034417000; 034092000; 034229000;
    118729000; 414744100; 414744600; 414939000; 414940000
        F26B-005/04
  Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
    98-401136; G 02-107535; G 02-123844
  JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6330755 BA 20011218
 VACUUM PROCESSING AND OPERATING METHOD (English)
```

```
Patent Assignee: HITACHI LTD
 Author (Inventor): KATO SHIGEKAZU
                                    (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO
                     (JP); ITOU ATSUSHI
                                        (JP)
 Priority (No, Kind, Date): US 461432 A
                                         19991216; JP 90225321 A
   19900829; US 177495 A1 19981023; US 61062 A1 19980416; US 882731
      19970626; US 593870 A3 19960130; US 443039 A1 19950517; US
   302443 A3 19940909; US 96256 A1 19930726; US 751951 A1 19910829
 Applic (No, Kind, Date): US 461432 A 19991216
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented; 5314509 Patented
 National Class: * 034406000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
  JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6330756 BA 20011218
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: HITACHI LTD (US)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
  Priority (No, Kind, Date): US 614764 A
                                         20000712; JP 90225321 A
   19900829; US 552572 A3 20000419; US 461432 B3 19991216; US 177495
   Al 19981023; US 61062 Al 19980416; US 882731 Al 19970626; US
   593870 A3 19960130; US 443039 A1 19950517; US 302443 A3
   19940909; US 96256 A1 19930726; US 751951 A1
 Applic (No, Kind, Date): US 614764 A
                                       20000712
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented; 5314509 Patented
 National Class: * 034406000; 034417000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
    02-107535; G 02-123844
  JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6446353 BA 20020910
 VACUUM PROCESSING APPARATUS (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                         (JP)
 Priority (No, Kind, Date): US 781270 A
                                         20010213; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
    ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 781270 A
                                       20010213
 Addnl Info: 6330755 Patented; 6012235 Patented; 5950330 Patented;
   5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896
   Patented; 5349762 Patented
 National Class: * 034092000; 034060000; 034236000; 414217000;
   414222130; 414939000
 IPC: * F26B-013/30
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6463676 BA 20021015
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
```

```
TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                        (JP)
 Priority (No, Kind, Date): US 780427 A
                                         20010212; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726
   ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 780427 A
                                       20010212
 Addnl Info: 6330755 Patented; 6012235 Patented; 5950330 Patented;
   5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896
   Patented; 5349762 Patented
 National Class: * 034412000; 034092000; 034218000; 134902000;
   414217000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6314658 BB 20011113
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: HITACHI LTD (US)
 Author (Inventor): KATO SHIGEKAZU
                                    (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 725257 A
                                         20001129; JP 90225321 A
   19900829; US 552572 A1 20000419; US 461432 B3 19991216; US 177495
   A1 19981023; US 61062 A1 19980416; US 882731 A1 19970626; US
   593870 A3 19960130; US 443039 A1 19950517; US 302443 A3
   19940909; US 96256 A1 19930726; US 751951 A1 19910829
 Applic (No, Kind, Date): US 725257 A
                                       20001129
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented; 5314509 Patented
 National Class: * 034406000; 034092000; 414225000; 134902000
 IPC: * F26B-005/04; B08B-003/00
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6332280 BB 20011225
 VACUUM PROCESSING APPARATUS (English)
 Patent Assignee: HITACHI LTD (US)
 Author (Inventor): KATO SHIGEKAZU
                                    (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                         (JP)
 Priority (No, Kind, Date): US 767834 A
                                         20010124; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1
                                                   19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
    ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 767834 A
                                       20010124
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented; 5314509 Patented
 National Class: * 034217000; 034092000; 034222000; 034225000;
   034236000; 414939000; 414940000; 134902000; 156345000
 IPC: *
        F26B-019/00
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6339887 BB 20020122
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
```

```
TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                        (JP)
 Priority (No, Kind, Date): US 767837 A 20010124; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
       19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726
   ; US 751952 B1 19910829; US 766587 A3 20010123
 Applic (No, Kind, Date): US 767837 A 20010124
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented
 National Class: * 034406000; 034417000; 034092000; 034229000;
   118729000; 414744600; 414939000; 414940000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6457253 BB
                                      20021001
 VACUUM PROCESSING APPARATUS (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 781317 A
                                         20010213; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
   ; US 751951 A1 19910829
 Applic (No, Kind, Date): US 781317 A
                                       20010213
 Addnl Info: 6330755 Patented; 6012235 Patented; 5950330 Patented;
   5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896
   Patented; 5349762 Patented; 5314509 Patented
 National Class: * 034092000; 414217000; 134902000
 IPC: * F26B-013/30
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6460270 BB
                                      20021008
 VACUUM PROCESSING APPARATUS (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                         (JP)
 Priority (No, Kind, Date): US 780394 A
                                         20010212; JP 90225321 A
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US 443039 A1 19950517; US 202442 70 20255
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
    ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 780394 A
                                       20010212
 Addnl Info: 6330755 20000801 Patented; 6012235 Patented; 5950330
   Patented; 5784799 Patented; 5661913 Patented; 5553396 Patented;
   5457896 Patented; 5349762 Patented
 National Class: * 034092000; 134902000; 414217000
 IPC: * F26B-013/30
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6463678 BB 20021015
 SUBSTRATE CHANGING-OVER MECHANISM IN A VACCUM TANK (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU
                                    (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
```

Priority (No, Kind, Date): US 782194 A 20010214; JP 90225321 A 19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062 A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US 443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726 ; US 751951 A1 19910829 Applic (No, Kind, Date): US 782194 A 20010214 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented; 5661973 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented; 5314509 Patented National Class: * 034573000; 034526000; 034527000; 034573000; 034209000; 034217000; 414217000; 414940000 IPC: * F26B-013/10 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 6467186 BB 20021022 TRANSFERRING DEVICE FOR A VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: HITACHI LTD (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 766976 A 20010123; JP 90225321 A 19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062 A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US 443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726 ; US 751952 B1 19910829 Applic (No, Kind, Date): US 766976 A 20010123 Addnl Info: 6330755 Patented; 6012235 Patented; 5950330 Patented; 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented National Class: * 034092000; 043060000; 043236000; 414217000; 414222130; 414939000 IPC: * F26B-013/30 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 6467187 BB 20021022 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: HITACHI LTD (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP); TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP) Priority (No, Kind, Date): US 782192 A 20010214; JP 90225321 A 19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062 Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US 443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726 ; US 751951 Al 19910829; US 766587 A3 20010123 Applic (No, Kind, Date): US 782192 A 20010214 Addnl Info: 6330755 Patented; 6012235 Patented; 5950330 Patented; 5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762 Patented National Class: * 034092000; 034060000; 134085000; 134902000 IPC: * F26B-013/30 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G 02-107535; G 02-123844 JAPIO Reference No: * 160351C000155 Language of Document: English Patent (No, Kind, Date): US 6470596 BB 20021029 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English) Patent Assignee: HITACHI LTD (JP) Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI (JP);

```
TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                        (JP)
 Priority (No, Kind, Date): US 767837 A
                                         20010124; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
   ; US 751952 B1 19910829; US 766587 A3 20010123
 Applic (No, Kind, Date): US 767837 A 20010124
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented
 National Class: * 034406000; 034417000; 034092000; 034229000;
   118729000; 414744600; 414939000; 414940000
 IPC: * F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6473989 BB 20021105
 CONVEYING SYSTEM FOR A VACUUM PROCESSING APPARATUS (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU
                                   (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 781297 A
                                         20010213; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726
   ; US 751951 A1 19910829; US 766587 A3 20010123
 Applic (No, Kind, Date): US 781297 A
                                      20010213
 Addnl Info: 6330755 Patented; 6012235 Patented; 5950330 Patented;
   5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896
   Patented; 5349762 Patented
 National Class: * 034092000; 034060000; 034236000; 414217000;
   414222130; 414939000
 IPC: * F26B-013/30
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6484414 BB 20021126
 VACUUM PROCESSING APPARATUS (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
                                        20010213; JP 90225321 A
 Priority (No, Kind, Date): US 781298 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
   443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726
   ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 781298 A
                                       20010213
 Addnl Info: 6330755 Patented; 6012235 Patented; 5950330 Patented;
   5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896
   Patented; 5349762 Patented
 National Class: * 034092000; 034060000; 034236000; 414217000;
   414222130; 414939000
 IPC: * F26B-013/30
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6484415 BB 20021126
 VACUUM PROCESSING APPARATUS (English)
 Patent Assignee: HITACHI LTD (JP)
```

```
Author (Inventor): KATO SHIGEKAZU (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 782193 A
                                          20010214; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
   443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726
   ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 782193 A
                                        20010214
 Addnl Info: 6330755 Patented; 6012235 Patented; 5950330 Patented;
   5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896
   Patented; 5349762 Patented
 National Class: * 034092000; 034060000; 034236000; 414222130;
   414217000
 IPC: * F26B-013/30
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6487791 BB 20021203
 VACUUM PROCESSING APPARATUS (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU
                                     (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 782196 A
                                          20010214; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
   ; US 751951 A1 19910829; US 766587 A3 20010123
 Applic (No, Kind, Date): US 782196 A 20010214
 Addnl Info: 6330755 Patented; 6012235 Patented; 5950330 Patented;
   5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896
   Patented; 5349762 Patented
 National Class: * 034217000; 034092000; 034222000; 034225000;
   034236000; 134902000; 414939000; 414940000; 156345000
 IPC: * F26B-019/00
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 98-401136; G
   02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6487793 BB 20021203
 VACUUM PROCESSING APPARATUS AND OPERATING METHOD THEREFOR (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU
                                     (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI
                                          (JP)
 Priority (No, Kind, Date): US 766587 A
                                          20010123; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062 A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726; US 751952 Bl 19910829
 Applic (No, Kind, Date): US 766587 A
                                        20010123
 Addnl Info: 6330755 Patented; 6012235 Patented; 5950330 Patented;
   5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896
   Patented; 5349762 Patented
 National Class: * 034412000; 034406000; 034418000; 034500000;
   034092000; 034218000; 134902000; 414939000; 414222130
 IPC: *
        F26B-005/04
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6487794 BB 20021203
 SUBSTRATE CHANGING-OVER MECHANISM IN VACUUM TANK (English)
```

```
Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU
                                   (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 782195 A
                                         20010214; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
   ; US 751952 B1 19910829; US 766587 A3 20010123
 Applic (No, Kind, Date): US 782195 A 20010214
 Addnl Info: 6330755 Patented; 6012235 Patented; 5950330 Patented;
   5784799 Patented; 5661913 Patented; 5553396 Patented; 5457896
   Patented; 5349762 Patented
 National Class: * 034573000; 034526000; 034527000; 034209000;
   034217000; 414217000; 414939000; 414940000
 IPC: * F26B-013/10
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6490810 BB 20021210
 VACUUM PROCESSING APPARATUS (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU
                                   (JP); NISHIHATA KOUJI
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 782197 A
                                         20010214; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   A1 19980416; US 882731 A1 19970626; US 593870 A3 19960130; US
   443039 A1 19950517; US 302443 A3 19940909; US 96256 A1 19930726
   ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 782197 A
                                       20010214
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented
 National Class: * 034092000; 414225000; 134902000
 IPC: * F26B-013/30
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
Patent (No, Kind, Date): US 6499229 BB 20021231
 VACUUM PROCESSING APPARATUS (English)
 Patent Assignee: HITACHI LTD (JP)
 Author (Inventor): KATO SHIGEKAZU
                                    (JP); NISHIHATA KOUJI (JP);
   TSUBONE TSUNEHIKO (JP); ITOU ATSUSHI (JP)
 Priority (No, Kind, Date): US 781293 A
                                         20010213; JP 90225321 A
   19900829; US 461432 A3 19991216; US 177495 A1 19981023; US 61062
   Al 19980416; US 882731 Al 19970626; US 593870 A3 19960130; US
   443039 Al 19950517; US 302443 A3 19940909; US 96256 Al 19930726
   ; US 751952 B1 19910829
 Applic (No, Kind, Date): US 781293 A
                                       20010213
 Addnl Info: 6012235 Patented; 5950330 Patented; 5784799 Patented;
   5661913 Patented; 5553396 Patented; 5457896 Patented; 5349762
   Patented
 National Class: * 034217000; 034092000; 034222000; 034225000;
   034236000; 414939000; 414940000; 134902000; 156345000
 IPC: * F26B-019/00
 Derwent WPI Acc No: * C 97-529274; G 92-090205; G 94-279094; G
   98-401136; G 02-107535; G 02-123844
 JAPIO Reference No: * 160351C000155
 Language of Document: English
```